

MATERIAL SAFETY DATA SHEET	SECTION III – PHYSICAL HAZARD DATA	SECTION VI - HEALTH HAZARD DATA.
<p>MFG. BY: SAFE ENCASUREMENT SYSTEMS</p> <p>EMERGENCY CONTACT: (800) 424-9300</p> <p>ADDRESS: 7860 Dana Point Court, Suite R Las Vegas, NV 89117</p> <p>Revised: July 2000.</p> <p>Info. Phone: (888) 277-8834</p>	<p>Polyester fabrics will melt at approximately 500°F and will burn if exposed to an open flame.</p> <p>Decomposition products generated from molten polymer may be subject to auto ignition.</p> <p>Combustion products will be comprised of carbon, hydrogen, oxygen and nitrogen. The exact composition will depend on the conditions of combustion.</p>	<p>Customary personal hygiene measures such as washing hands after working with such fabrics is recommended.</p> <p>OTHER PRECAUTIONS:</p> <p>DO NOT TAKE INTERNALLY.</p> <p>KEEP AWAY FROM CHILDREN.</p>
SECTION I – PRODUCT IDENTIFICATION.	SECTION IV – HEALTH HAZARD DATA.	SECTION VII – SPECIAL PRECAUTIONS
<p>PRODUCT NUMBER: SE–PF</p> <p>PRODUCT CLASS: Tietex Reinforcing Polyester (polyethylene terephthalate polymer) stitchbonded fabric.</p>	<p>Exposure to Tietex fabrics would pose no significant health problems under normal conditions of handling and use.</p>	PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: <i>KEEP FROM OPEN FLAME</i>
SECTION II – HAZARDOUS INGREDIENTS.	SECTION V – EXPOSURE CONTROL METHODS	SECTION VIII – CONTROL MEASURES.
<p>There are no hazardous ingredients, as defined in the *Code of Federal Regulations, Title 29, Part 1910.1200.</p> <p>*See Federal Register – Page 53342, Paragraph 5: ii; Page 53343, Vol. 48, No. 228, 1983.</p>	<p>GENERAL VENTILATION is suggested. Recirculating systems should, whenever practical, be operated in the bypass mode to avoid concentrating air contaminants in the workplace.</p> <p>FIRE FIGHTERS should protect themselves from decomposition and combustion products that may include carbon monoxide and other toxic gases.</p>	<p>OTHER PROTECTIVE EQUIPMENT AND MEASURES: AS A GENERAL HYGIENIC PRACTICE, WASH HANDS AND FACE AFTER USE.</p> <p>Use approved clothing when working around ACM or Lead-Based Paints.</p> <p>Follow all applicable OSHA and EPA Regulations.</p>